


Problem

- There are n people who each have a_i cash and a bill of b_i .
- Choose a person i which does not pay more than b_i if they pay the bill and get all cash from others.




Problem

- There are n people who each have a_i cash and a bill of b_i .
- Choose a person i which does not pay more than b_i if they pay the bill and get all cash from others.

Observation

- The i th person can pay, if: $(\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j) + a_i \leq b_i$.
- This is equivalent to: $(\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j) \leq b_i - a_i$



Problem


- There are n people who each have a_i cash and a bill of b_i .
- Choose a person i which does not pay more than b_i if they pay the bill and get all cash from others.

Observation

- The i th person can pay, if: $(\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j) + a_i \leq b_i$.
- This is equivalent to: $(\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j) \leq b_i - a_i$

Solution

- Precompute $S = (\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j)$.
- For each i check whether $S \leq b_i - a_i$.
- Runtime: $\mathcal{O}(n)$.



Problem

- There are n people who each have a_i cash and a bill of b_i .
- Choose a person i which does not pay more than b_i if they pay the bill and get all cash from others.

Observation

- The i th person can pay, if: $(\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j) + a_i \leq b_i$.
- This is equivalent to: $(\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j) \leq b_i - a_i$

Solution

- Precompute $S = (\sum_{j=1}^n b_j) - (\sum_{j=1}^n a_j)$.
- For each i check whether $S \leq b_i - a_i$.
- Runtime: $\mathcal{O}(n)$.